

2018

103. Mayer, M., Takegami, S., Neumeier, M., Rink, S., Jacobi von Wangelin, A., Schulte, S., Vollmer, M., Griesbeck, A.G., Duerkop, A., Baeumner, A.J., "Electrochemiluminescence Bioassays with a Water-Soluble Luminol Derivative Can Outperform Fluorescence Assays" *Angew. Chem. Int. Ed.* (2018), 57, 408-411 <https://doi.org/10.1002/anie.201708630>; <https://doi.org/10.1002/ange.201708630>
102. Yurova, N., Danchuk, A., Mobarez, S., Wongkaew, N., Rusanova, T., Baeumner, A.J., Duerkop, A. "Functional Electrospun Nanofibers for Multimodal Sensitive Detection of Biogenic Amines in Food via a Simple Dipstick Assay" *Anal Bioanal Chem* (2018) 410:1111–1121 <https://doi.org/10.1007/s00216-017-0696-9>

2017

101. Buchner, M., Ngoensawat, U., Schenck, M., Fenzl, C., Wongkaew, N., Matlock-Colangelo, L., Hirsch, T., Duerkop, A., Baeumner, A.J. "Embedded Nanolamps in Electrospun Nanofibers Enabling Online Monitoring and Ratiometric Measurements", *Journal of Materials Chemistry C*, 2017, 5, 9712-9720 DOI: 10.1039/C7TC03251J
100. Kirschbaum-Harriman, S. E. K., Duerkop, A., Baeumner, A.J. "Increasing Ru(bpy)₃²⁺ electrochemiluminescence with nonionic surfactants and tertiary amines" (2017), *Analyst*, 142, 2648 – 2653, DOI: 10.1039/C7AN00197E
99. Karczmarczyk, A., Fernandez-Poza, F., Baeumner, A.J., Feller, K.-H. "Rapid and sensitive inhibition-based assay for the electrochemical detection of Ochratoxin A and Aflatoxin M1 in red wine and milk" *Electrochimica Acta* (2017) Vol.243, 82-89, 2017, DOI: 10.1016/j.electacta.2017.05.046
98. Kirschbaum-Harriman, S. E. K., Mayer, M., Duerkop, A., Hirsch, T., Baeumner, A.J. „Signal enhancement and low oxidation potential for miniaturized ECL biosensors via N-butyl-diethanolamine“ (2017) *Analyst*, 2017, 142, 2469 – 2474, DOI: 10.1039/C7AN00261K
97. Muhr, V., Würth, C. Kraft, M., Buchner, M., Baeumner, A.J., Resch-Genger U., Hirsch, T. "Particle-size Dependent Förster Resonance Energy Transfer from Upconversion Nanoparticles to Organic Dyes" *Analytical Chemistry* (2017), DOI: 10.1021/acs.analchem.6b04662
96. Fenzl, C., Nayak, P., Hirsch, T., Wolfbeis, O.S., Alshareef, H.N., Baeumner, A.J. "Laser-scribed graphene electrodes for aptamer-based biosensing", DOI: 10.1021/acssensors.7b00066
95. Chandra, S., Mayer, M., Baeumner, A.J. "PAMAM dendrimers: a multifunctional nanomaterial for ECL biosensors" *Talanta* (2017) 168:126-129, DOI: 10.1016/j.talanta.2017.03.016
94. Edwards, K.A, Tu-Maung, N., Cheng, K., Wang, B., Baeumner, A.J., Kraft, C. "Thiamine Assays – Advances, Challenges and Caveats" *ChemistryOpen* (2017) vol. 6, pp. 178 – 191, DOI: 10.1002/open.201600160
93. C. Genslein, P. Hausler, E.-M. Kirchner, R. Bierl, A. J. Baeumner, T. Hirsch „Detection of small molecules with surface plasmon resonance by synergistic plasmonic effects of nanostructured surfaces and graphene" *Proc. of SPIE*, 2017, Vol 10077, 100800F-1-100800F-7, DOI: 10.1117/12.2252256
92. S. F. Himmelstoß, L. M. Wiesholler, M. Buchner, V. Muhr, S. Märkl, A. J. Baeumner, T. Hirsch „980 nm and 808 nm excitable upconversion nanoparticles for the detection of enzyme related reactions" *Proc. of SPIE*, 2017, Vol 10080, 100770L-1-100770L-6, DOI: 10.1117/12.2252381

2016

91. Matlock-Colangelo, L.E. , Colangelo, N.W., Fenzl, C., Frey, M.W., Baeumner, A.J. “Passive mixing capabilities of Micro- and Nanofibers when used in microfluidic systems” *Sensors* **2016**, *16*(8), 1238, DOI: 10.3390/s16081238
90. Edwards, K.A., Seog, W.J., Han, L., Feder, S., Kraft, C.E., Baeumner, A.J. “High-Throughput Detection of Thiamine Using Periplasmic Binding Protein-Based Biorecognition” *Analytical Chemistry*, 2016, DOI: 10.1021/acs.analchem.6b02092
89. Genslein, C., Hausler, P, Kirchner, E-M., Bierl, R., Baeumner, A.J., Hirsch, T. ,Graphene-enhanced plasmonic nanohole arrays for environmental sensing in aqueous samples“ *Beilstein J. Nanotechnol.*, vol. 7, pp. 1564 – 1573 (2016), DOI: 10.3762/bjnano.7.150
88. Fenzl, C, Genslein, C. Domonkos, C. Edwards, K.A. Hirsch, T. and Baeumner, A.J. “Investigating non-specific binding to sensor surfaces using liposomes as models” *Analyst*, 2016, **141**, 5265 - 5273, DOI: 10.1039/C6AN00820H
87. Marcus, R.K., Baeumner, A.J., “Fiber-based platforms for bioanalytics” *Analytical and Bioanalytical Chemistry*,408(5), 1281-1283 (2016), DOI: 10.1007/s00216-015-9263-4
86. Fenzl, C., Hirsch, T., Baeumner, A.J. “Liposomes with High Refractive Index Encapsulants as Tunable Signal Amplification Tools in Surface Plasmon Resonance Spectroscopy” *Anal. Chem.*, 2015, *87* (21), pp 11157–11163, DOI: 10.1021/acs.analchem.5b03405
85. Fenzl, C., Hirsch, T., Baeumner, A.B. “Nanomaterials as versatile tools for signal amplification in (bio)analytical applications” *TrAC* (2016) *79*, 306-316, DOI: 10.1016/j.trac.2015.10.018
84. Matlock-Colangelo, L.E., Coon, B., Pitner, C.L., Frey, M.W., Baeumner, A.J. “Functionalized electrospun poly(vinyl alcohol) nanofibers for on-chip concentration of E. coli cells” *Analytical and Bioanalytical Chemistry*, 408(5), 1327-1334 (2016), DOI: 10.1007/s00216-015-9112-5

2015

83. Kirschbaum, S.K., Baeumner, A.J. “A Review of Electrochemiluminescence (ECL) in and for microfluidic analytical devices” *Analytical and Bioanalytical Chemistry* vol 407 (14), p. 3911 – 3926 (2015), DOI: 10.1007/s00216-015-8557-x
82. Fenzl, C., Genslein, C., Zoepfl, A., Baeumner, A.J., Hirsch, T. “Photonic crystal based sensing scheme for acetylcholine and acetylcholinesterase inhibitors” *J. Materials Chemistry B* vol. 3, pp. 2089 – 2095 (2015), DOI: 10.1039/c4tb01970a
81. Bunyakul, N., Promptmas, C., Baeumner, A.J. “Microfluidic biosensor for cholera toxin detection in fecal samples” paper in forefront *Analytical and Bioanalytical Chemistry*: Volume 407, Issue 3 (2015), 727-736, DOI: 10.1007/s00216-014-7947-9
80. Bunyakul, N., Baeumner, A.J. “Combining Electrochemical Sensors with Miniaturized Sample Preparation for Rapid Detection in Clinical Samples” *Sensors* 2015, *15*, 547-564, DOI: 10.3390/s150100547 (<http://www.mdpi.com/1424-8220/15/1/547/pdf>)

2014

79. Reinholt, S., Baeumner, A.J. “Microfluidic Nucleid Acid Purification” *Angewandte Chemie, International Edition Angew. Chem. Int. Ed.* 2014, *53*, 13988 – 14001, DOI: 10.1002/anie.2013095802014

78. Matlock-Colangelo, L., Baeumner, A.J. “Biologically Inspired Nanofibers for Use in Translational Bioanalytical Systems” *Annu. Rev. Anal. Chem.* 2014. 7:23–42, DOI: 10.1146/annurev-anchem-071213-020035
77. Edwards, K.A., Baeumner, A.J. “Enhancement of Heterogeneous Assays using Fluorescent Magnetic Liposomes” *Anal. Chem.* vol 86 (13), pp. 6610 – 6616 (2014), DOI: 10.1021/ac501219u
76. Reinholt, S.; Sonnenfeldt, A.; Naik, A.; Frey, M.; Baeumner, A.J. “Developing new materials for paper-based diagnostics using electrospun nanofibers” *Anal. Bioanal. Chem.* vol. 406 (14) pp. 3297-3304 (2014), DOI: 10.1007/s00216-013-7372-5
75. Reinholt, S., Behrent, A., Greene, C., Kalfe, A., Baeumner, A.J. “Isolation and Amplification of mRNA within a Simple Microfluidic Lab on a Chip” *Anal. Chem* vol. 86(1), pp. 849 - 856 (2014), DOI: 10.1021/ac403417z, <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3923508/>

2013

74. Wongkaew, N., He, P., Kurth, V, Surareungchai, W., Baeumner, A.J. “Multi-channel PMMA microfluidic biosensor with integrated IDUAs for electrochemical detection” *Anal. Bioanal. Chem.* Vol 405 (18), pp. 5965 – 5974 (2013), DOI: 10.1007/s00216-013-7020-0
73. Edwards, K.A., Meyers, K. J., Leonard, B., Baeumner, A.J. “Superior performance of liposomes over enzymatic amplification in a high-throughput assay for myoglobin in human serum” *Anal. Bioanal. Chem.* vol. 405(12), pp. 4017-4026 (2013), DOI: 10.1007/s00216-013-6807-3
72. Edwards, K.A., Baeumner, A.J. “Periplasmic binding protein-based detection of maltose using liposomes: A new class of biorecognition elements in competitive assays” *Anal. Chem.* vol, 85 (5), pp. 2770 – 2778 (2013), DOI: 10.1021/ac303258n

2012

71. Edwards, K.A., Meyers, K.J., Leonard, B., Connelly, J.T., Wang, Y., Holter, T., Baeumner, A.J. “Engineering Liposomes as Detection Reagents for CD4+ T-cells” *Analytical Methods*, vol. 4 (12), pp. 3948 – 3955 (2012), DOI: 10.1039/C2AY25480H
70. Wongkaew, N., Kirschbaum, S.E.K., Surareungchai, W., Durst, R.A., Baeumner, A.J. “A Novel Three-Electrode System Fabricated on Polymethyl Methacrylate for On-Chip Electrochemical Detection” *Electroanalysis, Electroanalysis*, vol 24(10), pp. 1903 – 1908 (2012), DOI: 10.1002/elan.201200336
69. Edwards, K.A., Bolduc, O.R., Baeumner, A.J. “Miniaturized bioanalytical systems: enhanced performance through liposomes” *Current Opinion in Chemical Biology* vol. 16(3-4), pages 444-452 (2012), DOI: 10.1016/j.cbpa.2012.05.182
68. Matlock-Colangelo, L., Baeumner, A.J. “Recent Progress in the Design of Nanofiber-based Biosensing Devices” *Lab Chip*, 12 (15), 2612 - 2620 (2012), DOI: 10.1039/c2lc21240d
67. Matlock-Colangelo, L., Cho, D., Frey, M.W., Pitner, C.L., Baeumner, A.J. “Functionalized Electrospun Nanofibers as Bioseparators in Microfluidic Systems” *Lab Chip*, 12 (9), 1696 – 1701 (2012), DOI: 10.1039/c2lc21278a
66. Connelly, J.T., Baeumner, A.J. “Biosensors for waterborne pathogens” *Analytical and Bioanalytical Chemistry*, 402(1) pp. 117 - 127 (2012), DOI: 10.1007/s00216-011-5407-3

65. Connelly, J.T; Kondapalli, S., Skoupi, M., Parker, S.L., Kirby, B.J, Baeumner. A.J. “Micro-total analysis system for virus detection: microfluidic pre-concentration coupled to liposome-based detection” *Analytical and Bioanalytical Chemistry*, 402(1) pp. 315-323 (2012) DOI: 10.1007/s00216-011-5381-9

2011

64. Cho, D., Matlock-Colangelo, L.; Xiang, C.; Asiello, P. J.; Baeumner, A. J.; Frey, M. W., “Electrospun nanofibers for microfluidic analytical systems.” *Polymer* volume 52 (15), pp. 3413 – 3421 (2011), DOI: 10.1016/j.polymer.2011.05.026
- 63 Nitkowski, A., Baeumner A.J., Lipson, M. “On-chip spectrophotometry for bioanalysis using microring resonators” *Biomedical Optics Express*, vol. 2(2), pp. 272 – 277 (2011), DOI: 10.1364/BOE.2.000271
62. Kondapalli, S., Connelly, J.T., Baeumner, A.J., Kirby, B.J. “Integrated microfluidic preconcentrator and immunobiosensor” *Microfluid Nanofluid* vol 11(5), pp. 537 - 544 (2011), DOI: 10.1007/s10404-011-0819-0
61. Asiello, P. and Baeumner, A.J. “Miniaturized isothermal nucleic acid amplification, a review” *Lab Chip*, vol. 11 (8), 1420 - 1430 (2011), DOI: 10.1039/c0lc00666a

2010

60. Reisewit, S., Schroeder, H., Tort, N., Edwards, K.A., Baeumner, A.J., Niemeyer, C.M. “Capture and Culturing of Living Cells on Microstructured DNA Substrates” *Small*, vol. 6(19), pp. 2162 – 2168, DOI: 10.1002/sml.201000776
59. Edwards, K.A., Wang, Y., Baeumner, A.J. “Aptamer sandwich assays: Human α -thrombin detection using liposome enhancement” *Analytical and Bioanalytical Chemistry*, vol. 398(6), pp. 2645 – 2653, DOI: 10.1007/s00216-010-3920-4
58. Edwards, K.A., Baeumner, A.J. “Aptamer Sandwich Assays: Label-free and Fluorescence Investigations of Heterogeneous Binding Events”, *Analytical and Bioanalytical Chemistry* vol, 398(6), pp. 2635 – 2644, DOI: 10.1007/s00216-010-3765-x
57. Goddard, J., Mandal, S., Nugen, S., Baeumner, A., Erickson, D. “Patterning of Nucleic Acid Probes in Optical Nanocavities”, *Colloids and Surfaces B: Biointerfaces* vol. 76, pp. 375–380, DOI: 10.1016/j.colsurfb.2009.10.041

2009

56. Kumanan, V., Nugen, S.R. Baeumner, A.J. Chang, Y-F “A biosensor assay for the detection of Mycobacterium avium subsp. paratuberculosis in fecal samples” *J. of Veterinary Science*, vol. 10(1), pp. 35 - 42, (2009), DOI: 10.4142/jvs.2009.10.1.35
55. Nugen, S.R., Asiello, P.J., Connelly, J.T., Baeumner, A.J. “PMMA biosensor for nucleic acids with integrated mixer and electrochemical detection” *Biosensors and Bioelectronics*, vol. 24, pp. 2428 – 2433 (2009), DOI: 10.1016/j.bios.2008.12.025

54. Bunyakul, N., Edwards, K.A., Promptmas, C., Baeumner, A.J. “Cholera toxin subunit B detection in microfluidic devices” *Analytical and Bioanalytical Chemistry*, vol. 393(1), p. 177 – 186, Special anniversary issue. (2009), DOI: 10.1007/s00216-008-2364-6
53. Nugen, S.R., Asiello, P., Baeumner, A.J. „Design and fabrication of a microfluidic device for near-single cell mRNA isolation using a copper hot embossing master“ *Microsystem Technology* vol. 15(3), pp. 477 – 483 (2009), DOI: 10.1007/s00542-008-0694-0

2008

52. Edwards, K.E., Duang, F., Baeumner, A.J., March, J.C. “Fluorescently labeled liposomes for monitoring cholera toxin binding to epithelial cells” *Analytical Biochemistry*, vol. 350, pp. 59 – 67 (2008), DOI: : 10.1016/j.ab.2008.05.027
51. Baeumner, A.J. “Food pathogen and toxin Detection” Editorial, *Analytical and Bioanalytical Chemistry*, vol. 391, pp. 449 – 450 (2008), DOI: 10.1007/s00216-008-2029-5
50. Edwards, K.A., Baeumner, A.J. “Liposome-enhanced Lateral-flow Assays for the Sandwich-Hybridization Detection of RNA” Book chapter in “Biosensors and Biodetection: Methods and Protocols volume 2” Humana Press Books and Journals, Editors Avraham Rasooly, Keith E. Herold, pp. 185 - 215 (2009), DOI: 10.1007/978-1-60327-569-9_13
49. Chen, C.-S., Baeumner, A.J., Durst, R.A. “Multiplexed Immunoassays in Food Analysis”, chapter 20 in *Handbook of Food Analysis Instruments*, Semih Otles, ISBN: 9781420045666 CRC Press, pp. 239-260 (2008), DOI: 10.1201/9781420045673
48. Connelly, J.T., Nugen, S.R., Borejsza-Wysocki, W., Durst, R.A., Montagna, R.A., Baeumner, A.J. “Human Pathogenic *Cryptosporidium* species bioanalytical detection method with single oocyst detection capability”, *Analytical and Bioanalytical Chemistry* **Issue cover** vol. 391 (2), pp. 487 – 495 (2008), DOI: 10.1007/s00216-008-1967-2
47. Edwards, K.A., Curtis, K.L., Sailor, J., Baeumner, A.J. “Universal liposomes: Preparation and usage for the detection of mRNA” *Analytical and Bioanalytical Chemistry*, vol. 391, pp. 1689 - 1702 (2008), DOI: 10.1007/s00216-008-1992-1
46. Nugen, S.R., Baeumner, A.J. “Trends and Opportunities in Food Pathogen Detection” *Analytical and Bioanalytical Chemistry*, vol. 391, pp. 451 – 454 (2008), DOI: 10.1007/s00216-008-1886-2

2007

45. Li, D., Frey, M.W., Vynias, D., Baeumner, A.J. “Availability of biotin incorporated in electrospun PLA fibers for streptavidin binding”, *Polymer*, vol. 48, 6340 – 6347 (2007), DOI: 10.1016/j.polymer.2007.08.027
44. Frey, M.W., Li, D., Tsong, T., Baeumner, A.J., Joo, Y.L. “Incorporation of biotin into PLA nanofibers via suspension and dissolution in the electrospinning dope”, *Journal of Biobased Materials and Bioenergy*, **1**, 1-9 (2007), DOI: 10.1166/jbmb.2007.026
43. Edwards, K.A. and Baeumner, A.J. “DNA-Oligonucleotide Encapsulating Liposomes as a Secondary Signal Amplification Means” *Analytical Chemistry*, vol. 79(5), pp. 1806 – 1815 (2007), DOI: 10.1021/ac061471s

42. Lo, W. and Baeumner A.J. "Evaluation of Internal Standards in a Competitive Nucleic Acid Sequence-Based Amplification Assay" *Analytical Chemistry*, vol. 79(4) pp. 1386-1392 (2007), DOI: 10.1021/ac061690d
41. Lo, W. and Baeumner, A.J. "RNA Internal Standard Synthesis by Nucleic Acid Sequence-Based Amplification for Competitive Quantitative Amplification Reactions" *Analytical Chemistry*, vol. 79(4), pp. 1548-1554, DOI: 10.1021/ac0615302
40. Ho, J.-A., Wu, L.-C., Huang, M.R., Lin, Y.J., Baeumner, A.J., Durst, R.A. "Application of ganglioside-sensitized liposomes in a flow injection immunoanalytical system for the determination of cholera toxin." *Analytical Chemistry*, vol 79(1):246-50 (2007), DOI: 10.1021/ac060889n
39. Kwakye, S.B. and Baeumner, A.J. "An Embedded System for Portable Electrochemical Detection" *Sensors and Actuators B*, vol. 123, pp. 336 – 343 (2007), DOI: 10.1016/j.snb.2006.08.032
38. Nugen, S.R., Leonard, B., Baeumner, A.J. "Application of a unique server-based oligonucleotide probe selection tool toward a novel biosensor for the detection of *Streptococcus pyogenes*" *Biosensors and Bioelectronics*, vol. 22, pp. 2442 – 2448 (2007), DOI: 10.1016/j.bios.2006.09.002
37. Edwards, K.A., Baeumner, A.J. "Synthesis of a liposome incorporated 1-carboxyalkylxanthine-phospholipid conjugate and its recognition by an RNA aptamer" *Talanta*, vol 71(1) pp. 365 – 372 (2007), DOI: 10.1016/j.talanta.2006.04.031

2006

36. Edwards, K.A. and Baeumner, A.J. "Optimization of DNA-tagged Dye- Encapsulating Liposomes for Lateral-Flow Assays Based on Sandwich-Hybridization" *Analytical and Bioanalytical Chemistry* vol. 386 (5), pp. 1335 – 1343 (2006), DOI: 10.1007/s00216-006-0705-x
35. Edwards, K.A. and Baeumner, A.J. "Optimization of DNA-tagged Liposomes for Use in Microtiter Plate Analyses" *Analytical and Bioanalytical Chemistry*, vol. 386 (6), pp. 1613 – 1623 (2006), DOI: 10.1007/s00216-006-0743-4
34. Li, D., Frey, F. W., Baeumner, A. J. "Electrospun polylactic acid nanofiber membranes as substrates for biosensor assemblies" *Journal of Membrane Science* (2006), 279(1-2), 354-363, DOI: 10.1016/j.memsci.2005.12.036
33. Goral, V.N., Zaytseva, N.V., Baeumner, A.J. "Electrochemical microfluidic biosensor for the detection of nucleic acid sequences" *Lab-on-Chip*, vol 6(3), pp. 414 - 421 (2006), DOI: 10.1039/b513239h
32. Edwards, K.A., Baeumner, A.J. "A Sequential Injection Analysis System for the Sandwich-Hybridization-Based Detection of Nucleic Acids" *Analytical Chemistry*, vol. 78 (6), pp. 1958-1966 (2006), DOI: 10.1021/ac051768a
31. Kwakye, S., Goral, V.N., Baeumner, A.J. "Electrochemical microfluidic biosensor for nucleic acid detection with integrated minipotentiostat" *Biosensors and Bioelectronics*, vol. 21, pp. 2217 – 223 (2006), DOI: 10.1016/j.bios.2005.11.017
30. Kevin P. Nichols, Julia R. Ferullo, Antje J. Baeumner "Recirculating, passive Micromixer with a novel sawtooth Structure" *Lab-on-Chip*, vol. 6(2) pp. 242 - 246 (2006), DOI: 10.1039/B509034B

29. Katie A. Edwards, Harriet A. Clancy and Antje J. Baeumner “*Bacillus anthracis*: Toxicology, Epidemiology and Current Detection Methods” *Analytical and Bioanalytical Chemistry.*, vol. 384, pp. 73-84 (2006), DOI: 10.1007/s00216-005-0090-x (**one of the Top 10 articles viewed from ABC in 2006**)
28. Katie A. Edwards and Antje J. Baeumner “Analysis of Liposomes” *Talanta*, vol. 68 (5) pp. 1432-1441 (2006), DOI: 10.1016/j.talanta.2005.08.031
27. Katie A. Edwards and Antje J. Baeumner “Liposomes in Analysis” *Talanta*, vol. 68 (5) pp. 1421-1431 (2006), DOI: 10.1016/j.talanta.2005.08.044

2005

26. Natalya V. Zaytseva, Richard A. Montagna, and Antje J. Baeumner “Microfluidic biosensor for the serotype-specific detection of Dengue virus” *Analytical Chemistry*, vol. 77, p. 7520 – 7527 (2005), DOI: 10.1021/ac0509206
25. Natalya V. Zaytseva, Vasiliy N. Goral, Richard A. Montagna, and Antje J. Baeumner “Development of a microfluidic biosensor module for pathogen detection” *Lab-on-chip*, vol 5 (8), pp. 805 – 811 (2005), DOI: 10.1039/B503856A (**issue cover picture**)
24. Hsiao-Wei Wen, Wlodzimierz Borejsza-Wysocki, Thomas R. DeCory, Antje J. Baeumner, Richard A. Durst “A novel extraction method for peanut allergenic proteins in chocolate and their detection by a liposome-based lateral flow assay” *European Food Research and Technology*, vol. 221, pp. 564 – 569 (2005), DOI: 10.1007/s00217-005-1202-8
23. Chien-Sheng Chen, Antje J. Baeumner, Richard A. Durst “Protein G-liposomal nanovesicles as universal reagents for immunoassays” *Talanta*, vol. 67, pp. 205 – 211 (2005), DOI: 10.1016/j.talanta.2005.02.018
22. Antje Baeumner “Bioanalytical Microsystems: Technology and Applications” invited book chapter, chapter 6, pp. 251-284 “Biosensors and Modern Biospecific Analytical Techniques”, (Ed. L. Gorton), Vol. XLIV, *Comprehensive Analytical Chemistry* (Ser. Ed. D. Barcelo, Elsevier, Amsterdam (2005), DOI: 10.1016/S0166-526X(05)44006-4

2004

21. Baeumner, A.J., Leonard, B., McElwee, J., Montagna, R.A. “A Rapid Biosensor for Viable *B. anthracis* Spores” *Analytical Bioanalytical Chemistry*, vol. 380 (1), p. 15 – 23 (2004), DOI: 10.1007/s00216-004-2726-7
20. Zaytseva, N.V., Montagna, R.A., Lee, E.M., Baeumner, A.J. “Multi-Analyte Single-Membrane Biosensor for Serotype Specific Detection of Dengue Virus” *Analytical Bioanalytical Chemistry*, vol. 380 (1), p. 46 – 53 (2004), DOI: 10.1007/s00216-004-2724-9
19. Baeumner, A.J., Jones, C., Wong, C.Y., Price, A. “A Generic Sandwich-type Biosensor with Nanomolar Detection Limits” *Analytical and Bioanalytical Chemistry*, vol. 378 (6), pp. 1587 – 1593 (2004), DOI: 10.1007/s00216-003-2466-0
18. Baeumner, A.J., Pretz, J., Fang, S. “A Universal Nucleic Acid Sequence Biosensor with Nanomolar Detection Limits”, *Analytical Chemistry*, vol. 76 (4), pp. 888 – 894 (2004), DOI: 10.1021/ac0349451

17. Min, J.-H., Baeumner, A.J. “Characterization and Optimization of Interdigitated Ultramicroelectrode Arrays as Electrochemical Biosensor Transducers” *Electroanalysis*, vol 16(9), pp. 724 – 729 (2004), DOI: 10.1002/elan.200302872

2003

16. Baeumner, A.J. “Biosensors for Environmental Pollutants and Food Contaminants” *Analytical and Bioanalytical Chemistry*, vol 377 (3), pp. 434 – 445, (2003), DOI: 10.1007/s00216-003-2158-9 (**invited review**)
15. Kwakye, S., Baeumner, A.J. “A Microfluidic Biosensor Based on Nucleic Acid Sequence Recognition” *Analytical and Bioanalytical Chemistry*, vol. 376 (7), pp. 1062 – 1068 (2003), DOI: 10.1007/s00216-003-2063-2
14. Baeumner, A.J., Durst, R.A. “Foreword: 5th Workshop on Biosensors and Biological Techniques in Environmental Analysis” *Analytica Chimica Acta*, vol. 487 (1), p. 1 (2003), DOI: 10.1016/S0003-2670(03)00465-3
13. Hartley, H.A., Baeumner, A.J. “Biosensor for the Specific Detection of a Single Viable *B. anthracis* Spore” *Analytical and Bioanalytical Chemistry*, vol. 376 (3), pp. 319 – 327 (2003), DOI: 10.1007/s00216-003-1939-5 (article published in category “**Paper in Forefront**”)
12. Ahn-Yoon, S., DeCory, R.R., Baeumner, A.J., Durst, R.A. “Ganglioside-Liposome Immunoassay for the Ultrasensitive Detection of Cholera Toxin”, *Analytical Chemistry*, vol. 75, pp. 2256 – 2261 (2003), DOI: 10.1021/ac026428t
11. Min, J.-H., Baeumner, A.J. “The micro-Total Analytical System for the Detection of Bacteria/Viruses” *J. Industrial Engineering Chemistry*, vol. 9 (1), pp. 1 – 8 (2003), https://www.researchgate.net/scientific-contributions/39873303_Antje_J_Baeumner
10. Baeumner, A.J., Cohen, R.N., Miksic, V., Min, J.H. “RNA Biosensor for the Rapid Detection of Viable *Escherichia coli* in Drinking Water” *Biosensors & Bioelectronics*, vol. 8 (4) pp. 405 – 419 (2003), <https://www.ncbi.nlm.nih.gov/pubmed/12604258>

2002

9. Dhawan, M.D., Wise, F., Baeumner, A.J. “Development of a Laser-Induced Cell Lysis System” *Analytical and Bioanalytical Chemistry*, vol. 374, pp. 421 – 426 (2002), DOI: 10.1007/s00216-002-1489-2
8. Baeumner, A.J., Schlesinger, N. A., Slutzki, N. S., Romano, J., Lee, E.M., Montagna R.A. “A biosensor for Dengue Virus Detection: Sensitive, Rapid and Serotype specific” *Analytical Chemistry*, vol. 74 (6), p. 1442 – 1448 (2002), <https://www.ncbi.nlm.nih.gov/pubmed/11922316>
7. Min J.-H., Baeumner, A.J. “Highly Sensitive and Specific Detection of Viable *Escherichia coli* in Drinking water” *Analytical Biochemistry*, vol. 303, p. 186 – 193 (2002), DOI: 10.1006/abio.2002.5593

2001

6. Esch, M.B., Baeumner, A.J., Durst R.A. “Detection of *Cryptosporidium parvum* Using Oligonucleotide-Tagged Liposomes in a Competitive Assay Format” *Analytical Chemistry* vol. 73 (13), pp. 3162-3167 (2001),
<http://blogs.cornell.edu/mandyesch/files/2013/05/Analytical-Chemistry-2001-Esch-1-t8opwg.pdf>
5. Baeumner, A.J., Humiston, M.C., Montagna, R.A., Durst, R.A. “Detection of Viable Oocysts of *Cryptosporidium parvum* Following Nucleic Acid Sequence-Based Amplification” *Analytical Chemistry* vol. 73 (6), pp. 1176-1180 (2001),
<https://www.ncbi.nlm.nih.gov/pubmed/11305648>

1996- 1999

4. Mosiello, L., Segre, L., Chiavarini, S., Cremisini, C., Spano, M., Baeumner, A.J., Kimmel, T., Schmid R.D. “Dipstick Immunoassay Format for Atrazine and Terbutylazine Analysis in Water Samples” *J. Agricultural and Food Chemistry* vol. 46 (9), 3847 – 3851 (1998),
https://www.researchgate.net/publication/257931228_Chemical_Sensors_and_Biosensors (see P04)
3. Baeumner, A.J., Schmid, R.D. “Development of a New Immunosensor for Pesticide Detection: a Disposable System with Liposome-Enhancement and Amperometric Detection” *Biosensors & Bioelectronics* vol. 13 (5), 519 - 529 (1998), DOI: 10.1016/S0956-5663(97)00131-0
2. Durst, R.A., Baeumner, A.J., Murray, R.W., Buck, R.P., Andrieux, C.P. “Chemically Modified Electrodes: Recommended Terminology and Definitions” *Pure & Applied Chemistry* vol. 69 (6), pp. 1317 - 1323 (1997),
<http://citeseerx.ist.psu.edu/viewdoc/download?doi=10.1.1.532.3501&rep=rep1&type=pdf>
1. Baeumner, A.J., Kummer, T., Schmid, R.D. “Liposome-Based Immunosensors: 1. Influence of Hapten Spacer Length on Liposome Binding Efficiency” *Analytical Letters* vol 29 (15), pp. 2601-2613 (1996)

Patents

- R. A. Durst, R. A. Montagna, A. J. Baeumner, S. T. Siebert, G. Rule, “Liposome-Enhanced Test Device and Method” US patent #6,358,752, CRF Ref#, D-2323B, USA (date filed, May 20, 1999), date issued, March 19, 2002
- A. J. Baeumner “Filtration-Detection Device and Method of Use” US patent #6,576,460, CRF Ref #D-2560A, USA (date filed: October 27, 2000) date issued, June 6th, 2003
- A. J. Baeumner, M. D. Dhawan “Development of a laser-induced cell lysis system”, US patent #6,815,209, CRF Ref. #D-2970, USA (date filed, Nov. 16th, 2002) date issued, Nov. 9th, 2004
- A.J. Baeumner “Universal biosensor and Method of Use” European Patent #1512010, CRF Ref #CRF D-3077-(06-12), date issued January 2nd, 2008, France, Germany, Italy, Great Britain, Switzerland

M.W. Frey, A. J. Baeumner, D. Li, “Electrospun nanofiber-based biosensor assemblies”, US# No. 7,485,591, CRF Ref. #D-3690-02, Date Filed May 4th, 2006, Allowed Dec. 2nd, 2008, published 02/03/2009

A.J. Baeumner “Universal biosensor and Method of Use” U.S. Patent #7718388, published May 18th, 2010

A.J.Baeumner et al. “Recirculating microfluidic device and methods of use” Chinese Patent No. 200680029471.9 (PCT/US2006/022638) published July 17th, 2013.